

Notice of Allowability

Application No.

09/648,895

Examiner

ALEXANDER BOAKYE

Applicant(s)

QUIGLEY ET AL.

Art Unit

2667

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 04/21/2005.
2. ☒ The allowed claim(s) is/are 1-42, 50, 43-49, 56; renumbered as 1-42, 43, 44-50, 56 respectively.
3. ☒ The drawings filed on 25 August 2000 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 03/21/05
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance: Claims 1-50 and 56 are considered allowable since when reading the claims in light of the specification, none of the references of record alone or in combination disclose or suggest the combination of limitations specified in the independent claims. As to claims 1-27, the prior art of record does not teach an open loop resampler in the signal path for sampling the data representative signal at the given symbol rate; and a closed loop resampler in the signal path for adjusting the phase of the symbol clock to match the data representative signal. As to claims 28-50, the prior art of record does not teach a closed loop resampler coupled to the matched filter, wherein the matched filter is coupled between the analog to digital converter and the closed loop resampler.

As to claim 56, the prior art of record does not teach filtering the data representative digital signal with a matched filter to generate a filtered data representative digital signal; sampling the filtered data representative digital signal with a closed loop resampler to generate a sampled data representative digital signal.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2667

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander Boakye whose telephone number is (571) 272-3183. The examiner can normally be reached on M-F from 8:30am to 6:00pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham, can be reached on (571) 272-3179. The fax number is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Electronic Business Center numbers 866-217-9197 and 703-305-3028.

Alexander Boakye

Patent Examiner

AB

05/11/05


CHI PHAM
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600 5/13/05